

Ceramic Bonded Porous Alumina



Material	Max Pore size (μm)	Porosity (%)	Density (g/cc)	Particle Retention in Water (μm)	Strength (Mpa)
ACP-40	40	30 - 40	2.31	5	41.4
ACP-60	60	30 - 40	2.31	10	41.4
ACP-80	80	30 - 40	2.31	20	37.9
ACP-100	100	30 - 40	2.31	30	34.5
ACP-120	120	30 - 40	2.31	40	31.0
ACP-140	140	30 - 40	2.31	50	27.6
ACP-170	170	30 - 40	2.31	70	24.1
ACP-210	210	30 - 40	2.31	100	20.7
ACP-300	300	30 - 40	2.31	160	17.2
ACP-800	800	30 - 40	2.31	700	10.3
ACP-1300	1300	30 - 40	2.31	1200	6.9

Advanced Ceramic Products, LLC (ACP)

19 Colonnade Way, Suite 151

State College, PA 16803, USA

